Self-Certification Training Accessibility



PRESERVE SHAPE BUILD



Rost Sapon, P.E.
Structural Plans Engineer
Accessibility Technical Lead
City of Phoenix
Planning and Development Department

rost.sapon@phoenix.gov

602-262-7802






Many of you listening have taken college classes.

So, what is the minimum grade you need to achieve in order to get credit for a class?













2018 International Building Code (IBC) with amendments

2018 International Existing Building Code (IEBC) with amendments

2009 ICC A117.1 Accessible and Usable Buildings and Facilities

City of Phoenix Zoning Ordinance (available online)








City of Phoenix

Zoning Ordinance

Section 702G






City of Phoenix Street Transportation Department

standards and policies











For work <u>not</u> in the Public Right-of-Way



For work in the Public Right-of-Way



IBC document specifies the scope for the required accessibility features.



What type of dwelling units are required.

How many Type A dwelling units are required.



ICC document gives you the minimum technical standards on how to make each required feature accessible.


How high the kitchen counters in a Type A dwelling unit.

Where the grab bar reinforcements need to be placed in the bathroom of a Type A dwelling unit.





2018 International Building Code




- CHAPTER 10 MEANS OF EGRESS

 Section 1009 Accessible Means of Egress
- CHAPTER 11 ACCESSIBILITY
- APPENDIX E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS



Chapter 11 Accessibility




1103.1 Sites, buildings, structures, facilities, elements and spaces, temporary or permanent, shall be accessible to individuals with disabilities.



Chapter 11 Accessibility – General Exceptions

- Employee work areas.
- Detached one- and two- family dwellings, their accessory buildings, facilities, and sites.
- Group U occupancies.
- Construction sites.
- Raised areas
- Limited access spaces.





Chapter 11 Accessibility – General Exceptions

- Raised / lowered areas in places of religious worship.
- Equipment spaces.
- Highway tollbooths.
- Residential Group R-1.
- Day care facilities.
- Detention and correction facilities.
- Walk-in coolers and freezers.





Chapter 11 Accessibility – Accessible Route



- Doors and Doorways
- Ramps
- Curb Ramps excluding the flared sides
- Elevators
- Platform Lifts





Chapter 11 Accessibility – Accessible Route

At least one accessible route is required to the accessible building entrance served from:


- public transportation stops
- accessible parking
- accessible loading zones
- public streets or public sidewalks

An accessible route is not required where only a vehicular way is provided with no pedestrian access. However, an accessible route is required if the building has, or serves, Type B units.





Chapter 11 Accessibility – Accessible Route




At least one accessible route shall connect accessible buildings, accessible facilities, and accessible spaces on the same site.

An accessible route is not required where only a vehicular way is provided with no pedestrian access.



Chapter 11 Accessibility – Accessible Route




Common use circulation paths within employee work areas shall be accessible routes. (See exceptions)

Press boxes shall be on accessible routes. (See exceptions)

Stories, mezzanines and occupied roofs shall be connected by accessible routes. (See exceptions, and exceptions to the exceptions)



Chapter 11 Accessibility – Accessible Route




Accessible routes shall be located in the same area as the general circulation path. (See exceptions)

Security barriers, bollards, check points shall not obstruct accessible routes. (See exceptions)



Chapter 11 Accessibility - Entrances

At least 60% of <u>public entrances</u> shall be accessible.



Other required accessible entrances are also listed.

Parking garage entrances

Restricted entrances

Service entrance (if it is the only entrance into a building or tenant space)

Tenant space entrances

Dwelling unit entrances (for Accessible, Type A, Type B units)



Chapter 11 Accessibility - Parking


Amendment deletes Section 1106 entirely and refers to -


City of Phoenix Zoning Ordinance (section 702G)

Other helpful documents:

City Parking Requirements Guidelines. TRT/DOC/00070


Accessibility Parking Standards. TRT/DOC/00433







Chapter 11 Accessibility – Dwelling Units and Sleeping Units



```
Dwelling Unit – a unit that includes:
living
sleeping
eating
cooking
sanitation
```

```
Sleeping Unit – a unit that includes:
sleeping
and either
cooking or sanitation
```



Chapter 11 Accessibility – Dwelling Units and Sleeping Units

Types of Dwelling / Sleeping Units

Accessible Unit - Ready to use fully accessible features


Type A Unit - Adaptable unit

Type B Unit - Adaptable Unit (Fair Housing Act unit)





Chapter 11 Accessibility – Dwelling Units and Sleeping Units




Quantity and type of units depends on the occupancy classification (Group I and Group R), the specific use, and the total quantity of units in the building and on the project.

"Transient" – used for less than 30 days

"Intended to be occupied as a residence"



Chapter 11 Accessibility – Special Occupancies



Assembly occupancies with fixed seating -

If a service or facility is provided that is not accessible, it shall also be provided on an accessible level and be accessible.

Each wheelchair space shall be provided with a companion seat.



Chapter 11 Accessibility – Special Occupancies



Shall have an accessible route to the lawn area but wheelchair spaces and companion seats are not required.

Exterior overflow assembly seating areas without fixed seats -

Shall have an accessible route to the exterior area but wheelchair spaces and companion seats are not required.





Chapter 11 Accessibility – Special Occupancies



Dining and drinking assembly areas -

All interior and exterior floor areas shall be accessible. (See exceptions)




Chapter 11 Accessibility – Special Occupancies



Accessible individual self-storage spaces shall be provided.

Accessible self-storage spaces shall be of the various classes of spaces available.

Accessible spaces can be located in one building and on one single story.





Chapter 11 Accessibility – Special Occupancies


Judicial facilities -

Courtrooms shall be accessible.

Jury box shall have a wheelchair space. (no companion)


Fixed gallery seating shall have wheelchair spaces and companion seats.

Elevated work stations can be accessed with wheelchair lifts.





Chapter 11 Accessibility – Other Features and Facilities



Toilet and bathing facilities –

All toilet and bathing rooms shall be accessible. (See exceptions)

Single-user facilities also required in assembly and mercantile.



Chapter 11 Accessibility – Other Features and Facilities



Sinks – 5% but not less than one shall be accessible.

Kitchens and kitchenettes shall be accessible.

Drinking fountains provided in wheelchair / standing pairs

Saunas and steam rooms shall be accessible.

Elevators on accessible route shall be accessible.

Fixed / built-in storage – 5% but not less than one shall be accessible.



Chapter 11 Accessibility – Other Features and Facilities


Platform Lifts

- 1. Maintain accessible route to performing areas and speaker platforms
- 2. To fixed seat assembly areas for required WC space dispersion
- 3. Maintain accessible route to lawn & overflow assembly seating areas
- 4. Maintain accessible route inside dwelling and sleeping units
- 5. Maintain accessible route to raised courtroom stations
- 6. On accessible routes at load / unload areas for amusement rides
- 7. Maintain accessible route to play areas
- 8. Maintain accessible route to team / player seating in sports activity areas
- 9. Maintain accessible route to boating and fishing piers and platforms
- 10. Maintain accessible route on exterior sites where ramps and elevators are not infeasible





Chapter 11 Accessibility – Other Features and Facilities




Detectible warnings - only required at passenger transit platform edges bordering a drop-off that is not protected by guards or screens.

Not required at bus stops.

For Public Right-of-Way refer to the ADA and the standards and policies of the City of Phoenix Street Transportation Department



Chapter 11 Accessibility – Other Features and Facilities




Seating at tables, counters and work surfaces – 5% but not less than one.

At drinking establishments, a <u>fixed</u> bar does not need to have an accessible counter if a <u>fixed</u> table with accessible features is located in the immediate area of the bar, and the <u>fixed</u> table is serviced by the bar staff.



Chapter 11 Accessibility – Other Features and Facilities



Dressing, fitting, and locker rooms -5% but not less than one of each type shall be provided.

Accessible check-out aisles shall be provided.


Accessible point-of-sale counters and service counters shall be provided.

Food service lines shall have accessible features.

Controls, operating mechanisms, and hardware shall be accessible. (See exceptions)



Chapter 11 Accessibility – Recreational Facilities



Listed recreational facilities shall be accessible in the quantities specified.



Chapter 11 Accessibility – Signage



Directional signs to the nearest accessible element shall be located in listed locations.


Other signs shall be provided as listed.

Appendix E has more sign provisions.






Section 1009 Accessible Means of Egress



This presentation assumes that an NFPA 13 or NFPA 13R automatic sprinkler system is present in the building.



Section 1009 Accessible Means of Egress




- 1. If one means of egress is required, then it shall be an *Accessible Means of Egress*.
- 2. If more than one means of egress is required, then not less than two *Accessible Means of Egress* shall be provided.





Section 1009 Accessible Means of Egress



Accessible Means of Egress



Accessible Route

- Accessible Routes
- Interior Exit Stairways
- Interior Exit Access Stairways

 Between Stories Only
- Exterior Exit Stairways
- Horizontal Exits
- Areas of Refuge (not required when sprinklered)
- Exterior Area for Assisted Rescue

- Walking surfaces with slope not steeper than 1:20
- Doors and Doorways
- Ramps
- Curb Ramps excluding the flared sides
- Elevators
- Platform Lifts



Section 1009 Accessible Means of Egress




You do not need assistance on an Accessible Route

But you might need assistance when on an Accessible Means of Egress



Section 1009 Accessible Means of Egress - Stairways


Differences between an *Accessible Means of Egress Stairway* and a regular means of egress stairway?



- 1. Risers shall be solid.
- 2. Cannot be an exit access stairway connecting two levels in the same story except from a mezzanine.
- 3. Cannot be an exterior exit stair within the Exit Discharge-to-Public Way portion of the means of egress unless an Exterior Area for Assisted Rescue is provided on the egress side of the stair.




Section 1009 Accessible Means of Egress - Elevators



Not less than one elevator is required to all stories that do not have a horizontal exit.


Elevators require standby power, and 2-way communications.



LEVEL OF EXIT DISCHARGE




Section 1009 Accessible Means of Egress - Elevators



LEVEL OF EXIT DISCHARGE

Not less than one elevator is required to all stories. Horizontal exit exception does not apply for basement condition.


Elevators require standby power, and 2-way communications.





Section 1009 Accessible Means of Egress - Platform Lifts








Section 1009 Accessible Means of Egress - Platform Lifts Platform Lifts

- 1. Maintain accessible route to performing areas and speaker platforms
- 2. To fixed seat assembly areas for required WC space dispersion
- 3. Maintain accessible route to lawn & overflow assembly seating areas
- 4. Maintain accessible route inside dwelling and sleeping units
- 5. Maintain accessible route to raised courtroom stations
- 6. On accessible routes at load / unload areas for amusement rides
- 7. Maintain accessible route to play areas
- 8. Maintain accessible route to team / player seating in sports activity areas
- 9. Maintain accessible route to boating and fishing piers and platforms




Platform lifts require standby power when they are used as a component of the accessible means of egress.



Section 1009 Accessible Means of Egress - Platform Lifts


Cannot use lifts on sites instead of Ramps for Accessible Means of Egress.







Accessibility



Reducing accessibility below the level required for a new building is prohibited.



Accessibility



If it is structurally technically infeasible, accessibility shall be provided to the maximum extent that it is technically feasible.


Alterations to Area of Primary Function – Accessible route to the area of primary function is required per IBC Chapter 11.

Cost of providing an <u>accessible route</u> to the area of primary function can be limited to 20% of the cost of the alterations of the area of primary function.





Accessibility



Additions – Required to be accessible per IBC Chapter 11.



Accessibility

Complete Change of Occupancy –

To the maximum extent structurally technically feasible, provide:




At least one accessible route from entry to primary function area,

Signage per IBC section 1111,

Accessible parking (where parking is provided),

Accessible loading zone (where loading zones are provided),

At least one accessible route from parking and loading to entry.





Accessibility



Refer to Section 305.9 and,

Refer to Section 507 when using Prescriptive method.

Refer to Chapter 12 when using Class of Work method.






Accessible Means of Egress



Alterations – Not required.

Change of Occupancy – Required per IBC section 1009 if change is to a higher-hazard occupancy.





Chapter 3 – Building Blocks

Chapter 4 – Accessible Route

Chapter 5 – General Site and Building Elements

Chapter 6 – Plumbing Elements and Facilities

Chapter 7 – Communication Elements and Features

Chapter 8 – Special Rooms and Spaces

Chapter 9 – Built-in Furnishings and Equipment

Chapter 10 – Dwelling Units and Sleeping Units

Chapter 11 – Recreational Facilities





POP QUIZ! Is this an accessible route?







