

Notice of Intention Cover Sheet

The web address referenced on Page 2 of the Notice of Intention has been superseded and replaced by the following web address:
Phoenix.gov/Water.

To view information detailing the proposed adjustments to the water rates and rate components, please go to: Phoenix.gov/Water.



Notice of Intention To Consider An Increase In Water Rates and/or Rate Components and Set a Public Hearing Date To Consider the Proposed Increase

In accordance with Arizona Revised Statutes, section 9-511.01, request the City Council adopt this notice of intention to consider an increase of 6 percent in each of the next two years in water rates and/or rate components and set a date for a public hearing to consider the proposed increase.

THIS ITEM IS FOR DISCUSSION AND POSSIBLE ACTION.

Summary

In accordance with Arizona Revised Statutes, section 9-511.01, the City Council announces its intention to consider increases in water rates and/or rate components for future years and set a date for a public hearing to consider the proposed increases.

Rate adjustments are identified in the Water Financial Plan as necessary to generate revenue required to invest in our future by developing infrastructure and water supplies necessary to prepare for declared shortages on the Colorado River; rebuild our core infrastructure through repair, rehabilitation, or replacement aging infrastructure, particularly pipelines; and maintain an adequate fund balance to retain a AAA bond rating. The proposal would increase water rates effective in February 2019, and would result in an annual rate revenue increase of 6 percent, with a second increase to take effect in February 2020, that would result in a second annual rate revenue increase of 6 percent.

The water rate adjustments will apply to all water service customers served by the City of Phoenix. No adjustment in wastewater rates will be considered at this time.

The City Council sets Dec. 12, 2018, at 2:30 p.m. in the City Council Chambers, 200 W. Jefferson St., as the time and place for the public hearing to receive public comment on the water rate adjustment proposal. The City Council may act to adopt the proposed adjusted water rates and rate components following the hearing.

Information detailing the proposed adjustments to the water rates and rate components, Financial Plans, and the Five-Year Water Capital Improvement Program

will be available to the public at least 30 days in advance of the public hearing in the City of Phoenix Clerk Department, located at 200 W. Washington St., 15th floor, during normal business hours. The information will also be available 30 days in advance of the public hearing on the City of Phoenix website:

<http://phoenix.gov/citygovernment/codes/notices/index.html>.

Concurrence/Previous Council Action

The citizens' Water/Wastewater Rate Advisory Committee unanimously recommended that City Council approve the water rate increases at its August 16, 2018 meeting. The City Council Water, Wastewater, Infrastructure, and Sustainability Subcommittee heard information on water resources, infrastructure and financial plans at its Sept. 5, 2018 meeting. The City Council will hear a report on water resources, infrastructure and financial plans on this same agenda.

Public Outreach

The Water Services Department plans to conduct public outreach through open houses, community meetings, a mailed post card to all customers, social media, and online outreach in the months of October and November 2018.

Responsible Department

This item is submitted by Deputy City Manager Karen Peters and the Water Services and Finance departments.

**City of Phoenix Water Rates
Monthly Service Charges**

Line No	Meter Size	Existing	Proposed February 1, 2019	Proposed February 1, 2020
Inside City				
1	5/8"	\$5.50	\$4.25	\$4.64
2	3/4"	\$5.56	\$5.56	\$6.03
3	1"	\$5.61	\$8.17	\$8.81
4	1 1/2"	\$6.04	\$14.72	\$15.77
5	2"	\$6.57	\$22.57	\$24.13
6	3"	\$20.23	\$40.88	\$43.62
7	4"	\$22.56	\$67.05	\$71.46
8	6" and larger	\$24.60	\$132.46	\$141.06

**City of Phoenix Water Rates
Volume Charges - User and Other**

Line No	Season	Existing	Proposed February 1, 2019	Proposed February 1, 2020
Inside City				
9	Low Season (Jan, Feb, Mar, Dec)	\$3.09	\$3.05	\$3.20
10	Medium Season (Apr, May, Oct, Nov)	\$3.63	\$3.56	\$3.73
11	High Season (Jun, Jul, Aug, Sep)	\$4.08	\$3.90	\$4.09
12	Raw Water Charge (Included in Rates Above)	\$0.29	\$0.39	\$0.42
13	Environmental Charge	\$0.28	\$0.56	\$0.62

1. The Monthly Service Charge is a flat amount which includes 4,488 gallons (6 CCF) of water for October through May and 7,480 gallons (10 CCF) for June through September. One hundred cubic feet (CCF) equals 748 gallons.
2. User and Other Charges are charged on the water consumed after the units included in the Monthly Service Charge. The User Charge includes \$0.29 per unit for Raw Water Costs at present. The proposed Raw Water Charge is \$0.39 for February 1, 2019 and \$0.42 for February 1, 2020.
3. In addition to the User and Other Charge, there is an Environmental Mandates Charge per the total number of units metered.
4. Users outside the City of Phoenix, except for service within the Town of Paradise Valley, are charged 150% of the applicable rate.
5. The above charges are subject to applicable sales taxes and surcharges.



To: Kathryn Sorensen
Water Services Director

Date: October 19, 2018

Thru: Josh Calandrelli
Accountant IV

From: Denise Olson 
Chief Financial Officer

Re: Water Financial Plan Analysis

The annual financial plan objectives are to present prior year actuals plus the next five years of rate adjustments that provide the rate revenue to: recover costs of operating a safe and reliable system, meet federal mandates, maintain a AAA bond rating and maintain a strong Water Resiliency and Sustainability program. Another factor is to minimize increases to customer's combined bill and keep rates among the lowest as compared to the metropolitan area and other large cities.

The Water Services Department has provided to the Finance Department their forecasted Revenue, O&M Expense and CIP costs for the next five years. After performing the analysis, it is determined a \$600 million bond sale is needed in the forecasted period with an additional \$550 million bond sale after the period. To support the CIP and meet the Finance Department's target goal of a AAA bond rating, additional revenue is required. The additional revenue would ensure:

- All costs associated with the operation of the Water System shall be funded from revenue derived from water rates and other-water-related income sources.
- Annual debt service coverage goal at a minimum level of 2.00 times the annual Junior Lien debt service requirement.
- Maintain available funds at a minimum level of 1.00 times the annual debt service requirement to cover all O&M, CIP, and all other expenses.

Our recommendation is to implement a 6% rate increase in FY19 and a 6% rate increase in FY20. The financial plan also calls for additional 3.5% increases in each year from FY21 to FY23.

The attached financial plan provides the cash flow projections required by Arizona Revised Statue title 9, chapter 5 article 2, section 9-511.01.

WATER PROFORMA
Abbreviated All Water Funds
(MILLIONS OF DOLLARS)

	2017-18 Actual	2018-19 Forecast	2019-20 Forecast	2020-21 Forecast	2021-22 Forecast	2022-23 Forecast
REVENUES						
Metered Water Charge	337.06	340.00	333.56	336.37	338.64	340.46
Environmental Charge	34.43	34.36	33.91	34.33	34.76	35.20
Raw Water Charge	26.45	26.66	26.13	26.46	26.79	27.12
Rate Revenue	397.94	401.02	393.60	397.16	400.19	402.78
Rate Revenue Adjustments	-	9.28	33.27	54.40	70.74	87.79
Total Rate Revenue	397.94	410.30	426.87	451.56	470.93	490.57
Water Resource Acquisition Fee	2.49	2.33	2.26	2.18	2.19	2.19
Development Occupation Fee	4.65	4.12	4.12	4.09	4.11	4.14
Other Revenue	29.16	27.89	26.94	29.38	27.86	28.44
Recoveries	7.23	-	-	-	-	-
TOTAL OPERATING REVENUE	441.47	444.64	460.19	487.21	505.08	525.34
EXPENDITURES						
Operating & Maintenance	195.98	214.49	221.73	230.86	238.36	245.76
Operating Capital (PAYGO)	106.95	90.32	113.58	81.70	103.72	83.63
Other Expenses and Transfers	(1.70)	24.29	25.46	26.48	27.79	28.80
Total Operating Expenses	301.23	329.10	360.77	339.04	369.87	358.19
Debt Service - Existing	110.05	113.20	120.57	113.63	113.64	113.64
Debt Service - Commercial Paper	-	2.00	5.00	-	3.75	8.00
Debt Service - Future \$ 600 m	-	-	-	27.00	27.00	27.00
Total Debt Service	110.05	115.20	125.57	140.63	144.39	148.64
Net Transfers to/(from) Capital Funds	-	-	-	-	-	-
TOTAL EXPENDITURES	411.28	444.30	486.34	479.67	514.26	506.83
Net Increase/(Decrease)	30.19	0.34	(26.15)	7.54	(9.18)	18.51
BEGINNING FUND BALANCE	62.58	92.77	93.11	66.96	74.50	65.32
ENDING FUND BALANCE	92.77	93.11	66.96	74.50	65.32	83.83
Less: Restricted Funds						
Development Occupation Fund	20.16	19.89	19.24	20.48	21.91	25.00
Water Resource Acquisition Fund	21.35	23.67	11.76	13.40	12.34	14.44
Total Restricted Funds	41.51	43.56	31.00	33.88	34.25	39.44
OPERATING FUND BALANCE	51.26	49.55	35.96	40.62	31.07	44.39
Add: Water Reserve Fund	100.00	100.00	100.00	100.00	100.00	100.00
AVAILABLE FUND BALANCE	151.26	149.55	135.96	140.62	131.07	144.39
Month of Projected Increase		Feb	Feb	Mar	Mar	Mar
AAA Percent Revenue Impact		6.00%	6.00%	3.50%	3.50%	3.50%
2.00 Junior Lien Debt Coverage	2.23	2.04	2.10	1.82	1.90	1.99
1.0 Available Fund Balance to Debt Service	1.4	1.3	1.1	1.0	0.9	1.0

**Water Services Department
Water Utility
5-Year Capital Improvement Program
(Excludes Impact Fees and Contingencies)**

<i>Category</i>	<u>2018-2019</u>	<u>2019-2020</u>	<u>2020-2021</u>	<u>2021-2022</u>	<u>2022-2023</u>	<u>Total</u>
<i>Pipelines</i>	\$104,747,097	\$117,864,150	\$89,408,388	\$114,234,203	\$98,587,915	\$524,841,753
<i>Pumps</i>	\$37,721,250	\$32,400,000	\$35,975,000	\$13,435,000	\$35,615,000	\$155,146,250
<i>Resiliency</i>	\$81,372,995	\$57,083,211	\$298,619,332	\$20,604,723	\$34,804,083	\$492,484,344
<i>Treatment</i>	\$43,551,765	\$34,827,192	\$18,358,176	\$40,521,132	\$46,689,605	\$183,947,870
<i>Water Storage</i>	\$6,026,000	\$14,710,000	\$11,520,000	\$12,980,000	\$7,615,000	\$52,851,000
<i>Other</i>	\$28,314,489	\$43,508,285	\$7,543,955	\$17,818,153	\$6,498,295	\$103,683,177
<i>Total</i>	\$301,733,596	\$300,392,838	\$461,424,851	\$219,593,211	\$229,809,898	\$1,512,954,394



Water Resources, Infrastructure and Financial Plans

This report provides the City Council with an update on the Water Services Department's plans regarding Colorado River issues. Additionally, it addresses rehabilitation of aging infrastructure, as well as the impact of these costs on the community water system's financial plan, the need to invest in our future water needs and rebuild our core infrastructure led the Citizen Water Rate Advisory Committee to recommend a 6 percent water rate increase in each of the next two years.

THIS ITEM IS FOR INFORMATION AND DISCUSSION.

Investing In Our Future

The Colorado River is over-allocated. The Lower Basin states of Arizona, California, and Nevada, as well as the Republic of Mexico take more water out of Lake Mead than is returned to the system, creating a structural deficit. This structural deficit causes water levels in Lake Mead to decline over time. To make matters worse, the Colorado River basin has been experiencing an extended drought since the year 2000. Water levels in Lake Mead are currently at historic lows.

The most recent Bureau of Reclamation projections show a 57 percent chance of shortage in 2020, rising to a 70 percent chance by 2022, and a 14 percent chance that Lake Mead will fall below elevation 1,025 feet, the third tier of shortage, by 2023. Most alarmingly, the Bureau of Reclamation recently presented a chart that shows Lake Mead could hit 985 feet in elevation within four years. Elevation 985 feet constitutes deadpool in Lake Mead; below this elevation water cannot be released from the dam (**Attachment A**).

Phoenix and the metro region have taken several actions over many decades to prepare for these conditions, recognizing central Arizona's priority on the river system is the lowest and water delivered through the Central Arizona Project canal is first to be cut under shortage declarations. Millions of acre-feet of Colorado River water have been banked in central Arizona aquifers to mitigate the impact of shortages.

Wastewater is reclaimed and extensively reused throughout the Valley of the Sun. We have tied the availability of adequate water supplies to the ability to subdivide land and grow, so that growth does not outstrip supplies. Phoenix has acquired a physically and

legally diverse set of water supplies so that we have a bank of water to rely on in times of shortage. We have proactively protected our local aquifers so that groundwater are available during surface water shortages.

Nonetheless, conditions are worsening and the Colorado River basin appears to be "aridifying". Because the Colorado River is over-allocated, and snowpack has diminished, shortage appears to be inevitable. Phoenix has planned methodically for shortage on the Colorado River and can withstand even tier three shortage declarations by the Secretary of the Interior at Lake Mead elevation 1,025 feet.

However, Lake Mead is shaped like a "V", and once water levels begin to fall they can continue to fall at a non-linear rate. Given no drastic solution to the problem of over-allocation, and assuming snowpack continues to be paltry, it is possible that Lake Mead elevations will fall below elevation 1,025 feet in the next few years. Below this level the Law of the River is unclear and we enter uncharted territory. The uncertainty that could result from extreme Colorado River shortages has the potential to hamper economic opportunity in our region and impact property values. The responsibility of Phoenix Water is to counter this uncertainty, and ensure provision of safe, reliable water supplies in all foreseeable circumstances for public health, economic opportunity, and quality of life.

The good news is that underneath Phoenix is a vast alluvial aquifer containing trillions of gallons of fossil groundwater supplies and millions of acre-feet of Colorado River water previously banked underground that, if managed wisely, can be used to meet demands for generations to come. However, in its decision 40 years ago to fully convert to a renewable surface water supply system to save groundwater supplies for the future, Phoenix Water for the most part abandoned its well fields, and our ability to physically access this banked water and groundwater is extremely limited. The Phoenix Water distribution system is designed to meet demands based on continued surface water availability. Because of this, portions of our distribution system are vulnerable to extreme shortages on the Colorado River.

When it comes to water conservation, Phoenix plays the long game. We want our customers to use water wisely as a lifestyle choice in the desert, regardless of conditions on our watershed from year to year. Phoenix Water has developed a culture of wise water use through education and outreach, and structured water rates to clearly signal the scarcity of water in the desert, giving residents a direct economic incentive to conserve our most precious resource. As a community, we use water far more efficiently than we did several years ago; Phoenix's water consumption rates have fallen approximately 30 percent in the last 20 years. However with shortage on the Colorado River looming, we must ask our customers to conserve more. We are

developing a new, multi-pronged conservation effort that will include, for example, additional retrofits of interior plumbing to more efficient fixtures, enhanced social media, free business and HOA water audits, a self-audit tool, and enhanced print, billboard, bus, light rail wraps, and other outreach media. We will emphasize providing residents with the tools they need to save money, conserve water, and play a role in positive solutions.

Phoenix has long practiced integrated supply and demand management planning; conservation is the bedrock of our water resource planning. However, ensuring reliable water deliveries under extreme Colorado River shortages will require both conservation and infrastructure. This is because even if customers use less water in other portions of our service territory, we cannot physically pump the conserved water to these vulnerable areas. This is a problem with the hydraulics of our distribution system that can only be resolved with new pump stations, transmission mains, and pressure-reducing valves. Nor can we move water appurtenant to lands within the Salt River Valley Water Users' Association (SRP) to lands outside of the district. This is a matter of state and federal law.

To rectify this situation, prepare for deep shortage conditions on the Colorado River, and ensure reliable water deliveries under all foreseeable scenarios, Phoenix Water is focused on improving its physical access to water banked underground and groundwater. To this end, Phoenix has entered into a series of agreements. The first was the exchange agreement with the City of Tucson. Through this agreement, Phoenix banks Colorado River water in Tucson aquifers, and can call upon that water during future times of shortage. Tucson recovers Phoenix's banked water, delivers it to Tucson Water customers, and in exchange directs the Central Arizona Water Conservation District to deliver Tucson's Colorado River water to Phoenix's surface water treatment plants. Last November, Phoenix entered into a similar agreement with the City of Avondale. These agreements provide Phoenix with additional physical access to banked water during shortage, but these exchanges work only so long as Tucson and Avondale have access to Municipal & Industrial priority Colorado River water delivered through the Central Arizona Project canal. That is, these exchanges work well during moderate but not extreme shortages.

Most recently, Phoenix entered into an agreement with Salt River Project (SRP) that provides Phoenix physical access to banked water even during extreme shortage conditions. Phoenix Water purchased a right-of-first-refusal to SRP's well pumping capacity. Phoenix can direct SRP to pump up to 20,000 acre-feet per year of banked water on Phoenix's behalf. That banked water gets pumped out of SRP wells and into the SRP canal system, where it can then be delivered to the 24th Street and Deer Valley Water Treatment Plants. From there, the water would need to be pumped to the

portions of the Phoenix Water distribution system normally served from the Union Hills Water Treatment Plant with Colorado River water. To do so, we will need to build additional transmission mains, pump stations, and pressure-reducing valves. These mains, pumps, and pressure-reducing valves will cost approximately \$300 million. Design of these improvements is slated to begin in January 2019, and construction is expected to be completed at the end of 2023. It may be possible to achieve completion earlier if necessary.

In addition, Phoenix Water is drilling wells to provide improved physical access to banked water and groundwater in portions of our service territory normally served with Colorado River water. We are in the process of designing, constructing, and equipping 15 new wells for that purpose. These wells should be in place by the end of 2022, at a cost of approximately \$110 million. We will also continue to recharge as much water as possible to ensure that we have a large store of banked water that we can draw upon for many years. The cost of recharging water and other related resiliency efforts constitutes an additional \$75 million over the next five years. All told, Phoenix can expect to expend nearly \$500 million over the next five years to ensure reliable water deliveries in the face of shortage on the Colorado River. This compares favorably with the \$1.5 billion that Southern Nevada Water Authority spent to lower its Lake Mead intake as mitigation against falling Lake Mead water levels, funding for which resulted in a 19 percent rate increase for its customers.

Water is the foundation of public health, economic opportunity, and quality of life in our desert city. Continued economic investment and the stability of our regional economy depend very closely on our ability to ensure absolute certainty in the delivery of clean, safe water. With these infrastructure improvements in place, a continued focus on our culture of conservation, and sustained investment in sound aquifer management, Phoenix Water can provide certainty even under worst-case scenarios on the Colorado River and for generations to come.

Building Our Core Infrastructure

The City of Phoenix water system is one of the largest in the nation. It is composed of five surface water treatment plants, 107 pump stations, 22 active wells, 48 reservoirs and storage facilities, 53,000 hydrants, 160,000 valves, approximately 430,000 service lines, and nearly 7,000 miles of pipelines, all of which are used to serve around 1.6 million customers with safe, clean reliable water at the tap twenty-four hours a day and 365 days a year over 540 square miles. People often think of Phoenix as a young city, but the City's water utility has been in operation for more than 110 years, and this infrastructure is aging.

Pipeline rehabilitation and replacement is the largest single infrastructure cost in the

City's water utility. Over the next five years, Phoenix Water anticipates spending approximately \$525 million on pipelines. In addition to this, Phoenix Water anticipates spending approximately \$185 million on surface water treatment plants, \$145 million on water pump stations and pressure-reducing valves, around \$55 million on reservoirs and other water storage facilities, and \$105 million on other system needs, such as power redundancy, security, telemetry, and technology upgrades. Infrastructure rehabilitation, replacement, and improvements are necessary to ensure the delivery of safe, clean, reliable water supplies to our community.

Community Water System Financial Strategy

The Phoenix City Council acts as steward for the community water system. Each year, the Water Services and Finance Departments develop a rolling five-year financial plan for the water utility to ensure continued financial viability. The financial plan is the basis for forecasting necessary rate adjustments that provide revenue to recover the cost of operating a safe and reliable system, maintain high-quality bond ratings, develop the infrastructure necessary to respond to shortages on the Colorado River, respond to outside market cost increases for raw water, chemicals, and infrastructure materials, and ensure system reliability through rehabilitation and replacement of aging infrastructure. Revenues and costs are balanced over a five-year financial plan to avoid large swings in water utility rates, affording our customers and businesses a level of certainty for budget planning and business investment.

The City's water utility does not operate for profit. Rather, the goal of rate adjustments is to earn sufficient revenue to cover the cost of debt service, operations, and required rehabilitation, replacement, and development of capital infrastructure while allowing the utility to end each fiscal year with a cash fund balance large enough to pay for unforeseen needs, and to maintain ratings that keep borrowing costs low.

The five-year financial plan is updated by the Finance and Water Services Departments each year. The need for capital infrastructure rehabilitation, replacement, and development is re-evaluated and re-prioritized. Operating expenses and revenues are updated and re-projected. Necessary rates are then calculated over the five-year time frame to ensure adequate revenues and ending fund balances. The resulting plan is presented to the City Council, the steward of the community water system, when rate adjustments are necessary.

Over the next five years, approximately \$1.515 billion in infrastructure improvements are necessary to continue the provision of safe, clean, reliable water to Phoenix customers. Of this, approximately \$500 million is necessary to develop the infrastructure and other improvements that will ensure Phoenix can continue reliable water deliveries even in worst-case shortage scenarios on the Colorado River. \$525

million is needed for rehabilitation and replacement of aging water pipelines. Approximately \$185 million is necessary for surface water treatment plant rehabilitation, nearly \$145 million for aging pump stations and pressure-reducing valves, \$55 million for aging reservoirs, and another \$105 million on various projects including power redundancy, homeland security, and telemetry improvements.

Water/Wastewater Rate Advisory Committee

The water financial plan indicates that a rate adjustment of six percent is required in February 2019, and a future rate adjustment of six percent in February 2020 is necessary to support the capital, operational, and financial requirements of the water system. These rate adjustments are necessary to maintain the target level for fund balances and ensure there are adequate net revenues to support debt service, which are essential in maintaining bond ratings. The wastewater financial plan indicates that rate adjustments are not necessary at this time.

If water rates are not raised, the water utility must drastically shrink infrastructure investment to avoid depleting fund balances. This could put the operational reliability of the utility at risk, and the City would not be able to guarantee water deliveries in certain portions of its service territory during deep shortage conditions on the Colorado River. Further, not maintaining infrastructure, adequate revenues, and fund reserves could lead to a downgrade in bond ratings.

At its Aug. 16, 2018, meeting, the Water/Wastewater Rate Advisory Committee voted unanimously to recommend to the City Council that water rates be raised by six percent in the spring of 2019 and by another six percent in the spring of 2020. The Water Services Department plans to ask the Phoenix City Council to adopt a notice of intent to increase water rates at the Oct. 9, 2018, City Council Policy session, and will seek public input through a variety of opportunities during the months of October and November 2018. A final vote by Phoenix City Council is planned for December 2018. If these votes are positive, new rates would take effect beginning in February 2019.

Affordability

Phoenix water rates are among the lowest in the nation and will continue to be among the lowest even with the proposed rate increase in place (**Attachment B**). The Citizens' Water/Wastewater Rate Advisory Committee completed a study on the affordability of Phoenix water and sewer rates in the spring of 2018, and concluded rates can be increased while still maintaining acceptable levels of affordability in the community. Phoenix water and sewer rates rank among the most affordable among the 25 largest cities in the U.S. by the AR20 (Affordability Ratio at the 20th income percentile) measure of affordability and by the Hours at Minimum Wage measure of affordability (**Attachment C**).


Concurrence/Previous Council Action

The City Council Water, Wastewater, Infrastructure, and Sustainability Subcommittee heard this item at its Sept. 5, 2018 meeting. The City Council will hear a Notice of Intention to consider an increase in water rates and/or rate components and set a public hearing date to consider the proposed increased on this same agenda.

Responsible Department


This item is submitted by City Manager Ed Zuercher, Deputy City Manager Karen Peters and the Water Services Director and Chief Financial Officer.

Historical and Plausible Future Lake Mead End-of-December Elevation



Attachment B

SINGLE FAMILY WATER RATE COMPARISON OF MONTHLY BILLS TWENTY LARGEST U.S. CITIES




Single family residential customer with a 5/8" meter using a monthly average over a 12 month period of 13.95 ccf and rates in place July 2018. Philadelphia bill based on rate increase approved for September 2018. San Antonio bill based on rate increase approved for 2019.

Attachment C

Affordability in Largest 25 U.S. Cities in 2017

Affordability Ratio at the 20th Income Percentile (AR₂₀)

2017 basic water & sewer cost for family of four as share of disposable income



Monthly Basic Water & Sewer Cost as Hours at Minimum Wage

2017 rates, family of four at 50 gpccd

